# Horizons Distributors

# SAFETY DATA SHEET

Issue Date 29-Jan-2015 Revision Date 29-Jan-2015 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

Product Name Super Plus Toilet Bowl Cleaner

Other means of identification

Product Code N065-8042 Synonyms None

Details of the supplier of the safety data sheet

Company Name Horizon Distributors

1890 Chrysler Dr. Belvidere, Illinois 61008 (815) 547-3737

Emergency telephone number

Emergency Telephone Infotrac 1-800-535-5053

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral                            | Category 4     |
|--|----------------|
| Acute toxicity - Dermal                          | Not classified |
| Acute toxicity - Inhalation (Gases)              | Category 3     |
| Acute toxicity - Inhalation (Dusts/Mists)        | Category 4     |
| Skin corrosion/irritation                        | Category 1     |
| Serious eye damage/eye irritation                | Category 1     |
| Specific target organ toxicity (single exposure) | Category 3     |

#### Label elements

# **Emergency Overview**

# **Danger**

## **Hazard statements**

Harmful if swallowed Toxic if inhaled

Causes severe skin burns and eye damage

May cause respiratory irritation. May cause drowsiness or dizziness



Appearance Milky White Physical state Liquid Odor Acidic

\_\_\_\_\_

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Immediately call a POISON CENTER or doctor/physician

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

## Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name     | CAS No.   | Weight-% | Trade Secret |
|-------------------|-----------|----------|--------------|
| Hydrochloric Acid | 7647-01-0 | 10-30    | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures

General advice Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

**Immediate medical attention is required.** Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

# 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

# **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take

up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

| Chemical Name                  | ACGIH TLV      | OSHA PEL   | NIOSH IDLH   |
|--------------------------------|----------------|--|--|
| Hydrochloric Acid<br>7647-01-0 | Ceiling: 2 ppm | (vacated) Ceiling: 5 ppm<br>(vacated) Ceiling: 7 mg/m <sup>3</sup>                       | IDLH: 50 ppm<br>Ceiling: 5 ppm                                 |
|                                |                | Ceiling: 5 ppm<br>Ceiling: 7 mg/m³   | Ceiling: 7 mg/m <sup>3</sup>                                   |
| Ethanol<br>64-17-5             | STEL: 1000 ppm | TWA: 1000 ppm<br>TWA: 1900 mg/m³<br>(vacated) TWA: 1000 ppm<br>(vacated) TWA: 1900 mg/m³ | IDLH: 3300 ppm<br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup> |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Keep away from food, drink and animal feeding

stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable

gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state
Appearance
Color
Odor
Liquid
Milky White
White
Acidic

Odor threshold No Information available

Property Values Remarks • Method

pH <1 Specific Gravity 1.10

Viscosity < 25 cP @ 25°C

Melting point/freezing point No Information available

Flash point None
Boiling point / boiling range 200 °F

Evaporation rate No Information available

Flammability (solid, gas)
Flammability Limits in Air

Upper flammability limit:Not ApplicableLower flammability limit:Not Applicable

Vapor pressureNo Information availableVapor densityNo Information available

Water solubility Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

# **Other Information**

**Density Lbs/Gal** 9.16 **VOC Content (%)** 0.0125

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

## **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** The primary effects and toxicity of this material are due to it corrosive nature.

**Inhalation** Toxic by inhalation. Breathing of vapor can cause respiratory irritation and inflammation.

Breathing of mist or liquid can cause burns to the respiratory tract.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin Contact** Corrosive. Contact with skin may cause severe irritation and burns.

Ingestion Toxic if swallowed. Ingestion causes acute irritation and burns to the mucous membranes

of the mouth, trachea, esophagus and stomach.

| Chemical Name                  | Oral LD50          | Dermal LD50           | Inhalation LC50        |
|--------------------------------|--------------------|-----------------------|------------------------|
| Hydrochloric Acid<br>7647-01-0 | = 700 mg/kg (Rat)  | > 5010 mg/kg (Rabbit) | = 1.68 mg/L (Rat)1 h   |
| Ethanol<br>64-17-5             | = 7060 mg/kg (Rat) | Yes                   | = 124.7 mg/L (Rat) 4 h |

# Information on toxicological effects

**Symptoms** No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No Information available.
No Information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name     | ACGIH | IARC    | NTP | OSHA |
|-------------------|-------|---------|-----|------|
| Hydrochloric Acid | Yes   | Group 3 | Yes | Yes  |
| 7647-01-0         |       |         |     |      |

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target organ effectsEYES, Respiratory system, Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0.78% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name     | Algae/aquatic plants | Fish                              | Crustacea                        |
|-------------------|----------------------|-----------------------------------|----------------------------------|
| Hydrochloric Acid | Yes                  | 282: 96 h Gambusia affinis mg/L   | Yes                              |
| 7647-01-0         |                      | LC50 static                       |                                  |
| Ethanol           | Yes                  | 12.0 - 16.0: 96 h Oncorhynchus    | 9268 - 14221: 48 h Daphnia magna |
| 64-17-5           |                      | mykiss mL/L LC50 static 100: 96 h | mg/L LC50 2: 48 h Daphnia magna  |
|                   |                      | Pimephales promelas mg/L LC50     | mg/L EC50 Static 10800: 24 h     |
|                   |                      | static 13400 - 15100: 96 h        | Daphnia magna mg/L EC50          |
|                   |                      | Pimephales promelas mg/L LC50     |                                  |
|                   |                      | flow-through                      |                                  |

#### Persistence and degradability

No Information available.

#### Bioaccumulation

No Information available.

<u>Other adverse effects</u> No Information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

**UN/ID No.** UN1760

Proper shipping name Corrosive liquids, n.o.s.

Hazard Class 8
Packing Group

Special Provisions B2, IB2, T11, TP2, TP27

**Description** UN1760, Corrosive liquids, n.o.s. (contains Hydrochloric Acid), 8, II

Emergency Response Guide 15

Number

**TDG** 

**UN/ID No.** UN1760

**Proper shipping name** Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II

**Description** UN1760, Corrosive liquids, n.o.s. (Contains Hydrochloric Acid), 8, II

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

## **SARA 313**

Chaminal Name

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CADA 242 Threehold Values 0/

| Chemical Name                     | SARA 313 - Inresnoid Values % |
|-----------------------------------|-------------------------------|
| Hydrochloric Acid - 7647-01-0     | 1.0                           |
| SARA 311/312 Hazard Categories    |                               |
| Acute health hazard               | Yes                           |
| Chronic Health Hazard             | Yes                           |
| Fire hazard                       | No                            |
| Sudden release of pressure hazard | No                            |

No

#### **CWA (Clean Water Act)**

**Reactive Hazard** 

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name                  | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|--------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Hydrochloric Acid<br>7647-01-0 | 5000 lb                        | Yes                    | Yes                       | X                             |

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name     | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-------------------|--------------------------|----------------|--------------------------|
| Hydrochloric Acid | 5000 lb                  | 5000 lb        | RQ 5000 lb final RQ      |
| 7647-01-0         |                          |                | RQ 2270 kg final RQ      |

## **US State Regulations**

\_\_\_\_

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name     | California Proposition 65 |  |
|-------------------|---------------------------|--|
| Ethanol - 64-17-5 | Carcinogen                |  |
|                   | Developmental             |  |

## **U.S. State Right-to-Know Regulations**

| Chemical Name                  | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Hydrochloric Acid<br>7647-01-0 | X          | X             | Х            |
| Ethanol<br>64-17-5             | Х          | X             | Х            |

## **U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

# **16. OTHER INFORMATION**

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical Properties Yes

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection C

Issue Date29-Jan-2015Revision Date29-Jan-2015

**Revision Note** 

No Information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**