SAFETY DATA SHEET

Issue Date 31-Jan-2015

Revision Date 31-Jan-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

| <u>Product identifier</u> Product Name | Toro-D Non-Butyl Cleaner / Degreaser |
|---|---|
| Other means of identification SDS# | JC-008-001 |
| Product# | MT301, MT304, MT305, MT355 |
| Details of the supplier of the safety Horizon Distributors, Inc. 1890 Chrysler Drive Belvidere, IL 61008 | <u>data sheet</u> |
| Emergency telephone number Emergency Telephone | 815-547-3737 Infotrac 1-800-535-5053 |
| | 2. HAZARDS IDENTIFICATION |

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Not classified |
|-----------------------------------|----------------|
| Acute toxicity - Dermal | Not classified |
| Skin corrosion/irritation | Category 1 |
| Serious eye damage/eye irritation | Category 1 |

Label elements

Emergency Overview

Danger

Hazard statements Causes severe skin burns and eye damage



Appearance Clear

Physical state Liquid

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

Odor Mild

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information Unknown Acute Toxicity

0.6806% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|------------------------|-----------|----------|--------------|
| Nonylphenol Ethoxylate | 9016-45-9 | 1-5 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. | | |
|--|---|--|--|
| Eye contact | Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. | | |
| Inhalation | Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. | | |
| Ingestion | Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately. | | |
| Self-protection of the first aider | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. | | |
| Most important symptoms and effe | cts, both acute and delayed | | |
| Symptoms | Any additional important symptoms and effects are described in Section 11: Toxicology Information. | | |
| Indication of any immediate medical attention and special treatment needed | | | |
| Note to physicians | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically. | | |

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. | | |
|-----------------------------------|---|--|--|
| Environmental precautions | | | |
| Environmental precautions | Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. | | |
| Methods and material for containm | ent and cleaning up | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | | |
| Methods for cleaning up | Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water. | | |
| 7. HANDLING AND STORAGE | | | |
| Precautions for safe handling | | | |
| Advice on safe handling | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, | | |

Conditions for safe storage, including any incompatibilities

| Storage Conditions | Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. |
|--------------------|--|
| | |

wear suitable respiratory equipment.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------|------------------------------|--|------------------------------|
| Sodium Hydroxide | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ |
| 1310-73-2 | | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |
| 2-Propanol | STEL: 400 ppm | TWA: 400 ppm | IDLH: 2000 ppm |
| 67-63-0 | TWA: 200 ppm | TWA: 980 mg/m ³ | TWA: 400 ppm |
| | | (vacated) TWA: 400 ppm | TWA: 980 mg/m ³ |
| | | (vacated) TWA: 980 mg/m ³ | STEL: 500 ppm |
| | | (vacated) STEL: 500 ppm | STEL: 1225 mg/m ³ |
| | | (vacated) STEL: 1225 mg/m ³ | - |
| Ethanol | STEL: 1000 ppm | TWA: 1000 ppm | IDLH: 3300 ppm |
| 64-17-5 | | TWA: 1900 mg/m ³ | TWA: 1000 ppm |
| | | (vacated) TWA: 1000 ppm | TWA: 1900 mg/m ³ |
| | | (vacated) TWA: 1900 mg/m ³ | - |

NIOSH IDLH Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Other Information

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

- **Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
- **Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
- General Hygiene Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state | Liquid |
|----------------|--------------------------|
| | • |
| Appearance | Clear |
| Color | Green |
| Odor | Mild |
| Odor threshold | No Information available |
| | |
| _ | |

| pH Specific Gravity |
|-------------------------------|
| Specific Gravity |
| opeonie erung |
| Viscosity |
| Melting point/freezing point |
| Flash point |
| Boiling point / boiling range |
| Evaporation rate |
| Flammability (solid, gas) |
| Flammability Limits in Air |
| Upper flammability limit: |

<u>Values</u> 12.0 - 13.0 Not Applicable Water Thin No Information available above 200F No Information available

Not Applicable

Remarks • Method

| Lower flammability limit: | Not Applicable |
|---------------------------|--------------------------|
| Vapor pressure | No Information available |
| Vapor density | No Information available |
| Water solubility | Complete |
| Partition coefficient | No Information available |
| Autoignition temperature | No Information available |
| Decomposition temperature | No Information available |

Other Information

Density Lbs/Gal VOC Content (%) Not Applicable 1.4268

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| Inhalation | Avoid breathing vapors or mists. |
|--------------|--|
| Eye contact | Avoid contact with eyes. Causes severe eye damage. |
| Skin Contact | Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns. |
| Ingestion | Do not taste or swallow. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------------|---------------------|------------------------|------------------------------------|
| Propylene Glycol 57-55-6 | = 20000 mg/kg (Rat) | = 20800 mg/kg (Rabbit) | Yes |
| 2-Propanol 67-63-0 | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | = 72600 mg/m ³ (Rat)4 h |

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization Germ cell mutagenicity Carcinogenicity IARC (International Agency for Res Not classifiable as a human carcinoge OSHA (Occupational Safety and He | | | |
|---|--|--|--|
| X - Present | | | |
| Reproductive toxicity | No Information available. | | |
| STOT - single exposure | No Information available. | | |
| STOT - repeated exposure | No Information available. | | |
| Chronic toxicity | Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. | | |
| Aspiration hazard | No Information available. | | |
| Numerical measures of toxicity - Product Information | | | |
| Unknown Acute Toxicity | 0.6806% of the mixture consists of ingredient(s) of unknown toxicity | | |

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.6806% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-------------------------------------|--|---|--|
| Propylene Glycol 57-55-6 | 19000: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50 | 1000: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna mg/L EC50 |
| Nonylphenol Ethoxylate 9016-45-9 | Yes | 5: 96 h Fish mg/L LC50 | Yes |
| Sodium Silicate 1344-09-8 | Yes | 301 - 478: 96 h Lepomis macrochirus mg/L LC50 3185: 96 h Brachydanio rerio mg/L LC50 semi- static | 216: 96 h Daphnia magna mg/L EC50 |
| Tetrasodium EDTA 64-02-8 | 1.01: 72 h Desmodesmus subspicatus mg/L EC50 | 41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static | 610: 24 h Daphnia magna mg/L EC50 |
| Sodium Hydroxide 1310-73-2 | Yes | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | Yes |
| 2-Propanol 67-63-0 | 1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50 | 9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50 | 13299: 48 h Daphnia magna mg/L EC50 |
| Ethanol 64-17-5 | Yes | 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through | 9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50 |

| Trisodium nitrilotriacetate | 560 - 1000: 96 h Chlorella vulgaris | 93 - 170: 96 h Pimephales promelas | 560 - 1000: 48 h Daphnia magna |
|-----------------------------|-------------------------------------|--------------------------------------|--------------------------------|
| 5064-31-3 | mg/L EC50 | mg/L LC50 flow-through 560 - 1000: | mg/L LC50 |
| | - | 96 h Oryzias latipes mg/L LC50 | - |
| | | semi-static 72 - 133: 96 h | |
| | | Oncorhynchus mykiss mg/L LC50 | |
| | | static 560 - 1000: 96 h Poecilia | |
| | | reticulata mg/L LC50 semi-static | |
| | | 560 - 1000: 96 h Poecilia reticulata | |
| | | mg/L LC50 114: 96 h Pimephales | |
| | | promelas mg/L LC50 175 - 225: 96 | |
| | | h Lepomis macrochirus mg/L LC50 | |
| | | static 252: 96 h Lepomis | |
| | | macrochirus mg/L LC50 470: 96 h | |
| | | Pimephales promelas mg/L LC50 | |
| | | static 560 - 1000: 96 h Oryzias | |
| | | latipes mg/L LC50 | |

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Do not reuse container.

14. TRANSPORT INFORMATION

Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |

.

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute health hazard | Yes |
|-----------------------|-----|
| Chronic Health Hazard | Yes |

| Fire hazard | No |
|-----------------------------------|----|
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|-------------------|---------------------------|
| Ethanol - 64-17-5 | Carcinogen |
| | Developmental |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Propylene Glycol 57-55-6 | Х | Yes | Х |
| Sodium Hydroxide 1310-73-2 | Х | X | Х |
| 2-Propanol 67-63-0 | Х | X | Х |
| Ethanol 64-17-5 | Х | X | Х |
| Trisodium nitrilotriacetate 5064-31-3 | Yes | X | Yes |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

| <u>NFPA</u> <u>HMIS</u> | Health hazards3Health hazards3 | Flammability 0 Flammability 0 | Instability 0 Physical hazards 0 | Physical and Chemical Properties Yes Personal protection B |
|--|--------------------------------|----------------------------------|-------------------------------------|--|
| Issue Date Revision Date Revision Note No Information available | 31-Jan-20 31-Jan-20 | | | |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet