



1890 Chrysler Dr.
Belvidere, IL 61008
815-547-3737
sales@2hdi.com
www.HDi3.com

SPARCLING[®]

RESTROOM DISINFECTANT

PRODUCT DESCRIPTION:

SparCling is a one-step cleaner/disinfectant based on 9.5 percent hydrochloric acid. Cleans moderate amounts of organic soils on toilet bowls, urinals and similar non-porous surfaces. Clings to vertical and horizontal restroom surfaces.

EFFORTLESS CLEANING:

The clinging action of SparCling aids in removing soap scum, mildew stains, hard water deposits and urine salts without excessive scrubbing. Use on ceramic tile, grout, vitreous china, tubs, toilets, shower walls, basins, urinals and porcelain.

EPA REGISTERED/PROVEN DISINFECTANT:

SparCling kills germs commonly found in toilet bowls and on other restroom surfaces including *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa*.

EPA Reg. No. 5741-17
EPA Est. No. 5741-OH-1

NOTE: Never allow SparCling to sit on plated and metal surfaces. Agitate and rinse immediately. Do not allow SparCling to come into contact with any surface that is not acid-resistant. Some fiberglass such as Sterling's Vikrell is not acid-resistant. Consult manufacturer's warranty. Test in inconspicuous area.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Disinfecting Toilet Bowls and Urinals:

1. With swab mop applicator, remove water from bowl by forcing over trap.
2. Press swab mop against side of bowl to remove excessive water from applicator.
3. Apply 1-2 oz. of SparCling evenly onto surface to be cleaned and disinfected.
4. Swab entire surface area especially under the rim where water outlets are located.
5. Allow SparCling to remain wet on surface at least 2 minutes.
6. Flush toilet several times and rinse applicator thoroughly.

Disinfecting Ceramic Tile, Porcelain, Shower Walls, Fiberglass, and Similar Hard, Non-Porous Surfaces:

1. Apply SparCling evenly onto surface to be cleaned and disinfected.

2. Agitate lightly with sponge or brush.
3. Allow SparCling to remain wet on surface at least 2 minutes.
4. Rinse thoroughly.

For heavily soiled surfaces, a preliminary cleaning is required.

Spot Cleaning Plated and Metal Fixtures: Apply SparCling, agitate and rinse immediately. Do not allow SparCling to come into contact with any surfaces that is not acid-resistant. Never allow SparCling to remain on metal surfaces. Some fiberglass such as Sterling's Vikrell is not acid-resistant. Consult manufacturer's warranty. Test in inconspicuous area before use.

SPECIFICATION DATA:

Active Ingredients:

Hydrogen chloride9.50%

n-alkyl (C₁₄-50%, C₁₂-40%, C₁₆-10%)

dimethyl benzyl ammonium chloride..... 0.50%

Inert Ingredients:90.00%

Specific Gravity – 1.04 @ 24°C/75°F

pH – <1

Viscosity – 180-300 cps. @ 24°C/75°F

Density – 8.66 lbs./gal. @ 24°C/75°F

Color – Clear green

Stability --

- a. Shelf @ 24°C/75°F – In excess of 1 year
- b. Accelerated @ 49°C/120°F – Minimum 60 days
- c. Freeze/Thaw Cycle – Product will withstand three freeze/thaw cycles.

Biodegradable detergent

Phosphate free

Meets USDA former "C2" profile for "Compounds for use only in toilets and/or dressing rooms"

PACKAGING:

SparCling is packaged in 15-gallon drums and quarts, 12 per case. Each drum is equipped with a drum pump and quarts are equipped with a flip-top child resistant dispensing closure. One swab mop and a pair of gloves are included with each case. Label copy is available in English and Spanish.

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this or any Spartan product. If questions remain, consult your employer or a physician. Material Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor or by visiting www.spartanchemical.com.

GUARANTEE:

Spartan's modern manufacturing and laboratory control insure uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within one year of the manufacture.