



SparSan Q™

disinfectant deodorant

SparSan Q Disinfectant Deodorant is a versatile, ready to use aerosol disinfectant deodorant. It is ideal for convenient disinfection after spot clean up, and for those areas not easily reached during routine disinfection procedures. Because it's an aerosol, there is no mixing or any waste.



Providing Quality Maintenance and Chemical Specialty Solutions with Unparalleled Customer Service



Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, OH 43537
1-800-537-8990
www.spartanchemical.com

- Kills HIV-1 on Pre-Cleaned Environmental Surfaces
- Eliminates odors and has a linen clean fragrance
- Germicidal
- Fungicidal
- Pseudomonocidal
- Tuberculocidal
- Kills Household Germs
- Prevents Mold and Mildew

HOSPITAL GRADE DISINFECTANT:

Disinfects and deodorizes surfaces through effective bactericidal and fungicidal activity. Kills Staphylococcus aureus (Staph), Streptococcus hemolyticus (Strep), Pseudomonas aeruginosa, Mycobacterium bovis (BCG), Salmonella choleraesuis and Trichophyton mentagrophytes (athletes foot fungus) on hard, non-porous environmental surfaces. Meets EPA Efficacy Standards for hospital aerosol disinfectants.

SPRAYED ON SURFACES:

Deodorizes by disinfecting. Germicidal activity kills most odor-producing organisms. Controls unpleasant odors. Pleasantly scented. For use in hospital rooms, sick rooms, doctors' examining rooms, kitchens, nursery and bathrooms.

EXCELLENT DEODORIZER:

SparSan Q Disinfectant Deodorant destroys bacteria the initial source of odors. It is not a cover up. Deodorizers which do not have disinfectant properties merely cover one odor with another.



ISSA MEMBER
The Experts
on Cleaning and Maintenance

Distributed by:

HDI

1890 Chrysler Dr.
Belvidere, IL 61008
815-547-3737
sales@2hdi.com
www.HDi3.com

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE USING. Prior to application, thoroughly clean all surfaces to be treated to remove gross filth or heavy soil.

To Disinfect: Hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened and allow to dry for 10 minutes before wiping or allow to air dry.

For Control of Mold and Mildew on Hard, Non-Porous Environmental Surfaces: Spray surface until thoroughly moistened. Allow to air dry. Repeat application in 7 days.

For Control of Fungus in areas such as bathrooms, locker rooms, floors, benches, shower stalls or other non-porous environmental surfaces commonly contacted by bare feet: Spray surface until thoroughly moistened. Allow to air dry.

For Use On: Walls, floors, bed frames, bedpans, urinals, fixtures, containers, toilet seats, diaper pails, telephones, trash cans, and sickrooms. Due to the possibility of electric shock when used on telephones, avoid excess spraying of telephone.

Kills Hiv On Pre-Cleaned Environmental Surfaces And Objects Previously Soiled With Blood/Body Fluids in health care settings. Or in other settings where there is a likelihood of soiling of inanimate surfaces or objects with blood or body fluids in which the surfaces and objects can be associated with the potential for transmission of human immunodeficiency virus type 1 (HIV-1) (associated with AIDS).

Special instructions for cleaning and decontamination against hiv on surfaces and objects soiled with blood or body fluids:

Personal protection:

Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks or eye coverings.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Disposal Of Infectious Material: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Leave surfaces wet for 10 minutes. This contact time will not control other common types of viruses and bacteria.

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this or any Spartan product. If questions remain, consult your employer or a physician. Material Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor or by visiting www.spartanchemical.com.

SPECIFICATION DATA:

pH – 10.5 – 11.5

Flash Point - Flammable

Stability - Shelf @ 24°C/75°F - One year minimum

PACKAGING

607600 20-ounce cans (12 per case)



Label copy is provided in English and Spanish.

GUARANTEE: Spartan's modern manufacturing and laboratory control insure uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within one year of the date of manufacture. Use product as directed and read all precautionary statements.

For institutional and industrial use only.

© SCC 5/11 L6076



STERIPHENE II®

brand disinfectant deodorant

Steriphene II Brand Disinfectant Deodorant is a versatile, ready to use aerosol disinfectant deodorant. It is ideal for convenient disinfection after spot clean up, and for those areas not easily reached during routine disinfection procedures. Because it's an aerosol, there are no mixing problems with Steriphene II nor any waste.



Providing Quality Maintenance and Chemical Specialty Solutions with Unparalleled Customer Service



Spartan Chemical Company, Inc.
 1110 Spartan Drive
 Maumee, OH 43537
 1-800-537-8990
 www.spartanchemical.com

HOSPITAL TYPE DISINFECTANT:

Steriphene II is a “hospital type disinfectant” which achieves 100% kill of all claimed microorganisms (see product label). A blend of two phenolics, Steriphene II is Tuberculocidal, Bactericidal, Fungicidal* and Virucidal** and is effective against Human Immunodeficiency Virus Type 1 (AIDS Virus), HBV (Hepatitis B Virus), Herpes Simplex Type 2 (causes genital herpes) and Influenza A/J305. EPA Reg. No. 5741-22.

EFFECTIVE AGAINST ANTIBIOTIC RESISTANT BACTERIA*:**

Steriphene II has been tested and shown effective against Methicillin-resistant Staphylococcus aureus (MRSA) and Vancomycin-resistant Enterococcus faecalis (VRE).

EXCELLENT DEODORIZER:

Steriphene II destroys bacteria the initial source of odors. It is not a cover up. Deodorizers which do not have disinfectant properties merely cover one odor with another...in effect, desensitizing the sense of smell.

CHOOSE ONE OF TWO UNIQUE FRAGRANCES!

Steriphene II is offered in two distinctive fragrances...Spring Breeze and Clean, Fresh.

HIGHLY ACTIVE:

Steriphene II's active ingredient content is 64.122%...as much as 1/3 more active ingredients than many competitive products.

FORMERLY AUTHORIZED BY THE USDA:

Category “C1” – compound for use on all surfaces in inedible product areas, non-processing areas, and/or exterior areas.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Clean all surfaces prior to disinfection.

Disinfection and Deodorization: Shake well. Hold can 6 to 8 in. from surface and apply in a uniform moist film. Treated surfaces should remain wet for 10 min. Allow to air dry or wipe off.

Tuberculocidal Activity: Steriphene II Brand Disinfectant is tuberculocidal under the above conditions in 10 min. at 68°F (20°C).

***Kills HBV and HIV on pre-cleaned environmental surfaces/ objects previously soiled with blood/body fluids** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Hepatitis B virus (HBV) and human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

Special instructions for cleaning and decontamination against HBV and HIV-1 on surfaces or objects soiled with blood/body fluids:

- 1. Personal Protection:** Clean up should be done wearing protective latex gloves, gowns, masks and eye protection.
- 2. Cleaning Procedure:** Blood or body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

- 3. Contact Time:** Leave surfaces wet for 10 minutes.
- 4. Disposal of Infectious Material:** Contaminated cleaning materials, blood and other body fluids should be autoclaved and/or disposed of according to local regulations for infectious waste disposal.

NOTE: Make sure valve opening is pointed in the direction of intended spray. Do not use on varnished wood or rayon fabrics. Steriphene II Brand Disinfectant Deodorant deodorizes at the source by killing the germs that cause malodors. This product is not intended for use as a general space spray air freshener.

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this or any Spartan product. If questions remain, consult your employer or a physician. Material Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor or by visiting www.spartanchemical.com.

SPECIFICATION DATA:

Contains sodium nitrite
 pH - 8.0-9.0
 Fragrances - Clean Fresh or Spring Breeze
 Flash Point - Flammable
 Stability - Shelf @ 24°C/75°F - One year minimum
 Contains biodegradable surfactants
 Former USDA rating: C1
 Does not require Kosher certification per Organized Kashruth Laboratories.



Distributed by:



1890 Chrysler Dr.
 Belvidere, IL 61008
 815-547-3737
 sales@2hdi.com
 www.HDi3.com

PACKAGING		
608100	20-ounce cans (12 per case)	Clean Fresh
607500	20-ounce cans (12 per case)	Spring Breeze



Label copy is provided in English.

GUARANTEE: Spartan's modern manufacturing and laboratory control insure uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within one year of the date of manufacture. Use product as directed and read all precautionary statements.

For institutional and industrial use only.

© SCC 5/11 L6081